


Ultrakoki A must-see for CS900 out of the box - A

- 1. Read this article out of the box
- 2. Please refer to the instruction manual before using CS900
- 3. For any usage and operation problems, please read the problem guide



Please take out the two rubber protection gaskets at this position for storage. If you take the scale to travel, please plug back the gasket for protection.




Please charge with the attached charging line. Please note that the USB symbol of the line is facing up.

Please note that the charging head must be inserted to the end



The charging symbol must be displayed when charging. In order to protect the battery life, it takes about 4 hours to fully charge with a small current. It can still be used in charging.


Ultrakoki A must-see for CS900 out of the box - B



The maximum load of a coffee scale is: 1 kg on the upper scale and 2 kg on the lower scale. Because the upper scale is a floating design, it cannot achieve over-loading protection, so when it is hit by more than 2 kg, it will cause Err2 damage.



In order to strengthen the transportation protection, two black rubber sheets will be added, which must be removed during use and installed during transportation.



The upper scale cup holder must not be pressed by hand or lifted directly, not to be impacted.

Ultrakoki



A must-see for CS900 out of the box - C

How is the rubber sleeve of the accessory used?

Ultrakoki up
Put on insulation rubber sleeve

UP scale travel protection mode

If the original black box cannot be used for packing, this method can be used to properly protect the scale from damage caused by putting it into the suitcase.



1. Loosen the copper nut, remove the cup holder, and replace the copper nut .
2. Put on the red rubber protective sleeve .
3. Put on the fixed rubber ring and put it into the suitcase to cover with soft clothes .

Fixing sequence for replacing the cup holder

1. First tighten the copper nut at the back .
2. Then tighten the front brass nut .

Ultrakoki A must-see for CS900 out of the box - D

How to download app?

You can scan the QR code on the box directly

You can also scan the QR code directly

Please select browser to open the page



Apple mobile phone

You can click this QR code and go directly to applestore to download it



You can also directly search the coffeesecret in the apple store to download the app



Android mobile phone


You can click the QR code to enter the right page

You can click this location to start downloading the app



Ultrakoki A must-see for CS900 out of the box - E


There are many steps to install the Android version. Each mobile phone has some differences



Coffeesecret.apk click download

Don't worry about the risk, continue to click download

Don't worry about the warning, please click Install



Ultrakoki A must-see for CS900 out of the box - F



How to bind app and scale?

Turn on the scale, click app to connect the Bluetooth



Enter the app and start searching for the Bluetooth signal for 15 seconds

Search the scale code cs-900, click to enter the binding link




Cs-900 is the basic name of the scale. If you want to change the name, you can go to the setting page of the app to make changes after connecting

After the normal connection, you can press the function key of the scale to change the mode, and the app will change accordingly



The weight display of app will only show the weight change when the brewing starts, and will not change in other times

Ultrakoki A must-see for CS900 out of the box - G



How to connect the thermometer?

The thermometer must be wired together with the scale, not separately

1. Turn the thermometer on
2. Unbind the original binding
3. After searching again, click the scale and thermometer to bind them together
4. After binding, the app displays the temperature
5. Bluetooth symbol on

How to charge the battery ?



Magnetic charge

Charge display

